

STARTING SAPHNELO™



QUESTIONS YOU MAY WANT TO ASK YOUR HEALTHCARE PROVIDER

For more information on the product, please consult the consumer information section of the Product Monograph at <https://www.astrazeneca.ca/content/dam/az-ca/downloads/productinformation/SAPHNELO-product-monograph-en.pdf>. This information does not substitute speaking to your doctor.



SAPHNELO is a prescription medicine given in addition to standard therapy for lupus, to treat adults with active, autoantibody positive systemic lupus erythematosus (SLE) whose disease is not well controlled by other standard therapies (oral corticosteroids and/or immunosuppressants and/or antimalarials) they are also receiving.

HERE ARE SOME QUESTIONS YOU MIGHT WANT TO ASK YOUR DOCTOR



HOW SAPHNELO WORKS

- How does SAPHNELO work?



HOW SAPHNELO MAY AFFECT ME

- What improvements may I expect with SAPHNELO?
- Will there be changes in my treatment plan?

For more information on the product, please consult the consumer information section of the Product Monograph at <https://www.astrazeneca.ca/content/dam/az-ca/downloads/productinformation/SAPHNELO-product-monograph-en.pdf>. This information does not substitute speaking to your doctor.



HOW SAPHNELO IS GIVEN

- What are infusions?
- How long does it take to receive SAPHNELO?
- How often will I need to receive SAPHNELO?



SAPHNELO SAFETY CONSIDERATIONS

- What are the possible side effects of SAPHNELO?
- What are the most common side effects?



HOW SAPHNELO FITS INTO YOUR TREATMENT PLAN

- How long do I have to be on SAPHNELO?
- When can I stop taking SAPHNELO?
- Will I still have to take my other medications?

For more information on the product, please consult the consumer information section of the Product Monograph at <https://www.astrazeneca.ca/content/dam/az-ca/downloads/productinformation/SAPHNELO-product-monograph-en.pdf>. This information does not substitute speaking to your doctor.

IMPORTANT SAFETY INFORMATION

- **Do not use SAPHNELO if:** you are allergic to anifrolumab or to any ingredients in SAPHNELO. If you are not sure, talk to your healthcare professional before you are given SAPHNELO.
- **To help avoid side effects and ensure proper use, talk to your healthcare professional before or while you are taking SAPHNELO. Talk about any health conditions or problems you may have, including if you:**
 - think you have had an allergic reaction to this medicine at any time.
 - get an infection or have symptoms of an infection.
 - have a long-term (chronic) infection or if you have an infection that keeps coming back.
 - have, or have had, cancer.
 - have recently received or plan to receive an immunization (vaccine). You should not be given certain types of vaccines while using SAPHNELO.
 - are, might be or plan to become pregnant during treatment with SAPHNELO. It is not known if SAPHNELO can harm your unborn baby. Your healthcare professional will decide whether you can be given SAPHNELO or should stop treatment with SAPHNELO.
 - are breast-feeding. It is not known if SAPHNELO is passed into breast milk. Your healthcare professional will discuss with you whether you should stop treatment with SAPHNELO while you are breast-feeding, or if you should stop breast-feeding.
- **You may be at more risk of getting an infection when you are being treated with SAPHNELO, including infection of the airways and shingles.**
- **Tell your healthcare professional about all the medicines you take, including any drugs, vitamins, minerals, natural supplements or alternative medicines.**
- **Certain types of vaccines may interact with SAPHNELO.**
- **Possible side effects from using SAPHNELO** (these are not all the possible side effects you may have when taking SAPHNELO. If you experience any side effects not listed here, tell your healthcare professional):
 - Common side effects in SAPHNELO studies include joint pain and pain in the arms or legs.
 - Uncommon side effects include neck pain, weakness and fatigue.
 - SAPHNELO can cause a reaction to the infusion or an allergic (hypersensitivity) reaction.

IMPORTANT SAFETY INFORMATION

(cont'd)

- Tell your healthcare professional immediately, or go to the emergency department of your nearest hospital, if you get any of the following symptoms of a serious allergic reaction (anaphylaxis): swelling of your face, tongue, or mouth and/or breathing difficulties, fainting, dizziness, feeling lightheaded (due to a drop in blood pressure).

WHAT IS SAPHNELO?

SAPHNELO is a prescription medicine given in addition to standard therapy for lupus, to treat adults with active, autoantibody positive systemic lupus erythematosus (SLE) whose disease is not well controlled by other standard therapies (oral corticosteroids and/or immunosuppressants and/or antimalarials) they are also receiving.

REPORTING SIDE EFFECTS

You can report any suspected side effects associated with the use of health products to Health Canada by:

- Contacting Connect 360™ by calling 1-833-814-0258 or by e-mailing support@connect360sle.ca;
- Visiting the Web page on Adverse Reaction Reporting (<https://www.canada.ca/en/health-canada/services/drugs-health-products/medeffect-canada/adverse-reaction-reporting.html>) for information on how to report online, by mail or by fax; or
- Calling toll-free at 1-866-234-2345.

NOTE: Contact your healthcare professional if you need information about how to manage your side effects. The Canada Vigilance Program does not provide medical advice.

For more information on the product, please consult the consumer information section of the Product Monograph at <https://www.astrazeneca.ca/content/dam/az-ca/downloads/productinformation/SAPHNELO-product-monograph-en.pdf>. This information does not substitute speaking to your doctor.



NOTES

After talking with your healthcare provider, you can still receive support through Connect 360™:

- By calling: 1-833-814-0258
OR
- Via e-mail: support@connect360sle.ca

Reference:

1. SAPHNELO Product Monograph. AstraZeneca Canada Inc. November 30, 2021.

Connect 360™ has been developed and sponsored by AstraZeneca exclusively for patients prescribed SAPHNELO by their doctor. It does not replace your doctor's treatment plan. Services may differ by region. You can choose to adapt the service or opt out as your needs change.

SAPHNELO™, Connect 360™, and the AstraZeneca logo are trademarks of AstraZeneca AB, used under license by AstraZeneca Canada Inc.

© 2024 AstraZeneca Canada Inc. CA-5435E



MEMBER OF
INNOVATIVE MEDICINES CANADA



AstraZeneca